Hawai'i Climate Adaptation Initiative


Sea Level Rise Vulnerability and Adaptation

Information Brief – October 2015











Contents

Introduction	.1
Climate Change	.1
Sea Level Rise	.3
Impacts of Sea Level Rise	.8
Coastal Flooding and Inundation	.8
Coastal Erosion	11
Climate Change Mitigation and Adaptation	12
Adaptation Strategies and Tools	13
Sea Level Rise Adaptation Stories	14
The Hawai'i Climate Adaptation Initiative	14
The Interagency Climate Adaptation Committee	14
Working Agenda of the ICAC	15
Links	17
References	18

-	Indicators of climate change in the Pacific Islands region (adapted from [3])
Figure 2.	The concentration of carbon dioxide in the atmosphere is increasing largely from human activities [4]. Data before 1958 is from ice cores and data after 1958 are measurements taken
	from the Mauna Loa Observatory. Green line marks concentration of 398.02 ppm measured on
	October 11, 2015
Figure 3.	Current carbon dioxide concentrations in Earth's atmosphere have vastly exceeded levels
	measured in ice cores over the last 800,000 years [4]. Data before 1958 is from ice cores and
	data after 1958 are measurements taken from the Mauna Loa Observatory. Green line marks
	concentration of 398.02 ppm measured on October 11, 2015
Figure 4.	The observed rate of global mean sea level rise is accelerating [6-10]4
Figure 5.	Projected rate of global mean sea level rise under different greenhouse gas emissions
	scenarios [5]. The projected rate of global sea level rise, based on the IPCC RCP 8.5 scenario,
	ranges from 1.6 feet (0.5 m) to 3.3 feet (1 m) by 2100 [4]. Recent evidence suggests that this
	high end scenario is the likely scenario because ice sheets and glaciers are melting at rates
	greater than accounted for in the IPCC report [2]5
Figure 6.	Observed mean-sea-level trends at A, Hilo, 1927–2010; B, Kahului 1947–2010; C, Honolulu
	1905–2010; and D, Nawiliwili, 1955–2010, Hawai'i [11]7
Figure 7.	Coastal flooding is the condition where dry areas become temporarily wet. Coastal inundation
	is the process of a dry area being permanently drowned or submerged8







Figure 8. A combination of factors contributes to coastal flooding and inundation. Together these f	actors
can cause shoreline erosion and permanent loss of coastal lands	9
Figure 9. Dominant swell regimes and wave-monitoring buoy locations in Hawai'i [11]	10
Figure 10. Coastal hazards incorporated into coastal Special Flood Hazard Zones on FEMA's Flood	
Insurance Rate Maps	11
Figure 12. Adaptation tools and decision-making considerations [20]	13
Figure 13. Major milestones of the sea level rise phase of ICAC work	15

Table 1. Projected Heights of Sea Level Rise for Honolulu [12]	7
Table 2. Examples of tools used to adapt to sea level rise [21]	14





Introduction

In 2014, the Hawaii State legislature declared, through the passage of the Hawai'i Climate Adaptation Initiative Act (Act 83, Session Laws of Hawai'i) that climate change is the paramount challenge of this century, posing both an urgent and long-term threat to the State's economy, sustainability, security, and way of life. The purpose of the Hawai'i Climate Adaptation Initiative Act is to address the effects of climate change in order to protect the State's economy, health, environment, and way of life. Act 83 notes that, "Hawai'i is one of the few coastal states that has not adopted a statewide climate adaptation plan, yet is among the most vulnerable." Act 83 calls for the establishment of an Interagency Climate Adaptation Committee (ICAC), attached administratively to the Hawai'i Department of Land and Natural Resources (DLNR) and co-chaired by the Board of Land and Natural Resources (BLNR) and the director of the Hawai'i Office of Planning (OP). The first task of the ICAC is to develop a statewide Sea Level Rise Vulnerability Assessment and Adaptation Report (SLR Report) by December 31, 2017. This information brief is the first in a series of documents that will provide updates on climate science and adaptation. This information brief will be updated as new science and information become available.

Climate Change

Climate change is anticipated to have profound effects in the Hawaiian Islands. Key indicators of the changing climate include rising carbon dioxide in the atmosphere, rising air and sea temperatures, rising sea levels and upperocean heat content, changing ocean chemistry and increasing ocean acidity, changing rainfall patterns, decreasing base flow in streams, changing wind and wave patterns, changing extremes, and changing habitats and species distributions (Figure 1) [3].

Climate change - A change in the state of the climate that can be identified (e.g., using statistical tests) by changes in the mean and/or the variability of its properties that persist for an extended period, typically decades or longer [1].

Climate variability - The variations in the mean state and other statistics (e.g., standard deviations, the occurrence of extremes) of the climate on all spatial and temporal scales beyond that of individual weather events. Examples of climate variability include interannual El Niño and La Niña events that occur every two to seven years and influence weather patterns over vast regions of the globe [1].







Figure 1. Indicators of climate change in the Pacific Islands region (adapted from [3])

Atmospheric concentrations of carbon dioxide and other greenhouse gases, including methane and nitrous oxide, are increasing due to human activity. Hawaii's Mauna Loa Observatory is one of the world's leading scientific stations for monitoring the atmosphere. For more than fifty years, beginning with atmospheric chemist Charles Keeling's readings of carbon dioxide levels in the atmosphere, the Mauna Loa Observatory has provided climate scientists a continuous record of the atmosphere's increasing concentration of carbon dioxide—and sparked the international debate over global warming. The Keeling Curve is a measurement of the concentration of carbon dioxide in the atmosphere made atop Hawaii's Mauna Loa since 1958 [4] and is the longest-running such measurement in the world (Figure 2 and Figure 3).











Figure 2. The concentration of carbon dioxide in the atmosphere is increasing as a result of human activities [4]. Data before 1958 is from ice cores and data after 1958 are measurements taken from the Mauna Loa Observatory. Green line marks concentration of 398.02 ppm measured on October 11, 2015.





cores over the last 800,000 years [4]. Data before 1958 is from ice cores and data after 1958 are measurements taken from the Mauna Loa Observatory. Green line marks concentration of 398.02 ppm measured on October 11, 2015.

Sea Level Rise



"Given what we know now about how the ocean expands as it warms and how ice sheets and glaciers are adding water to the seas, it's pretty certain we are locked into at least 3 feet [0.9 meter] of sea level rise," said Steve Nerem of the University of Colorado, Boulder, and lead of the NASA Sea Level Change Team. "But we don't know whether it will happen in 100 years or 200 years."[2]





Climate change has the potential to profoundly impact our wellbeing and way of life. In particular, rising sea levels will increase the occurrence and severity of coastal erosion and flooding, threatening natural resources and economic sectors concentrated along low-lying shores.

The observed rate of global sea level rise (SLR) has been accelerating: 0.6 mm/year (1900 – 1930), 1.2 mm/year (1930 – 1992), 3.2 mm/year (1993 – 2005) and 4.4 mm/year (2010 – 2015) (Figure 4). The worst case scenario or "business as usual" projection of SLR reported by the Intergovernmental Panel on Climate Change (IPCC) 2013 ranges from 1.6 feet (0.5 m) to 3.3 feet (0.98 m) by 2010 (Figure 5) [5]. Recent evidence suggests that ice sheets and glaciers are melting at rates greater than predicted, making this scenario the more likely scenario [2].




Figure 4. The observed rate of global mean sea level rise is accelerating [6-10]








Figure 5. Projected rate of global mean sea level rise under different greenhouse gas emissions scenarios [5]. The projected rate of global sea level rise, based on the IPCC RCP 8.5 scenario, ranges from 1.6 feet (0.5 m) to 3.2 feet (0.98 m) by 2100 [4]. Recent evidence suggests that this high end scenario is the likely scenario because ice sheets and glaciers are melting at rates greater than accounted for in the IPCC report [2]

Sea level has risen around Hawai'i approximately 0.06 inches per year (1.5 mm per year or 6 inches over the next 100 years. Local relative sea level around Hawai'i (Figure 6) is not only dependent on the global average trend but also local oceanographic patterns, meteorology, geomorphology and tectonics related to the Hawaiian hotspot.












Figure 6. Observed mean-sea-level trends in the Hawaiian Islands [11]

Hawai'i-specific projections are in line with global projections of SLR with a mean height of 3 feet by 2100 [12] (Table 1). The consequences of SLR for Hawai'i are severe compared to many other coastal states, as the majority of our population, public infrastructure, and economic sectors exist on low-lying coastal plains which are highly susceptible to coastal hazards. Hawai'i and other Pacific islands are expected to experience significantly greater than average SLR [12]. In addition, chronic erosion in Hawai'i causes beach loss, damages homes and infrastructure, and endangers critical habitat. These problems will likely worsen with increased SLR.

YEAR	RANGE (FEET)	MEAN (FEET)				
2030	0.3 to 0.7	0.5				
2050	0.6 to 1.4	1.0				
2100	1.6 to 4.6	3.0				

Table 1. Projected Heights of Sea Level Rise for Honolulu [12]



Impacts of Sea Level Rise

SLR will have many impacts on the coastal zone including [13]:

- Land loss due to flooding and inundation
- Land loss due to erosion
- Increased flood damage through extreme sea level events (extreme tides, storm surges, etc.)
- Saltwater intrusion into surface waters and groundwater impeding drainage
- Wetland loss and change

Coastal Flooding and Inundation

Coastal inundation and flooding are terms often used interchangeably. For the purpose of long-range planning for SLR, we will distinguish between these terms [14]. Coastal flooding is the condition where dry areas become wet temporarily—either periodically or episodically (Figure 7). The term coastal inundation is the process of a dry area being permanently drowned or submerged. Overtime, dry areas that are repeatedly flooded may be considered inundated as the land cannot be used.




Figure 7. Coastal flooding is the condition where dry areas become temporarily wet. Coastal inundation is the process of a dry area being permanently drowned or submerged.

The key factors contributing to coastal flooding and inundation in Hawai'i are SLR, extreme tides, waves, storm surge, groundwater inundation, and heavy rainfall (Figure 8). As sea level rises, the frequency and severity of coastal flooding from extreme tides, high waves and storms (as well as infrequent tsunamis) will increase negative impacts to low-lying environments, ecosystems, and developed areas including coastal roads and communities. Sea level rise will raise the groundwater table leading to increased flooding, poor drainage, and storm damage on low-lying areas behind the shoreline [15]. At some point in the future, areas experiencing frequent coastal flooding will become permanently drowned or submerged creating new intertidal areas and wetlands.






Figure 8. A combination of factors contributes to coastal flooding and inundation. Together these factors can cause shoreline erosion and permanent loss of coastal lands.

Hawai'i is exposed to large waves near-round and tsunamis due to our location in the Central Pacific. Unusually large wave events when combined with high tides cause damaging overwash and inundation on exposed low-lying coasts. Waves from four dominant sources impact Hawaii's coasts: North Pacific swell in winter months, South Pacific swell in summer months, easterly tradewind waves year round, and southerly "Kona" storm waves (including hurricanes) [16] (Figure 9). Tropical storms and hurricanes bring strong winds, high waves and heavy rains. Winds and storm surge raise water levels and drive large waves on shore, while heavy rains cause flooding from the landward side. Storm surge is an elevated water level resulting from low atmospheric pressure and strong winds within a storm. A substantial increase in the likelihood of tropical cyclone frequency has been predicted in the Hawaiian Islands [17, 18].







Figure 9. Dominant swell regimes and wave-monitoring buoy locations in Hawai'i [16]

Currently, the Federal Emergency Management Agency (FEMA) defines the coastal Special Flood Hazard Area (SFHA) on Flood Insurance Rate Maps (FIRM) as two primary zones: Zone VE and Zone AE (Figure 10). Zone VE, also known as the Coastal High Hazard Area, has a 1% or greater chance of experiencing an annual flooding event and an additional hazard associated with storm waves three feet in height or greater. The coastal Zone AE has a wave component of less than 3 feet in height. Base Flood Elevations (BFEs) will vary in each zone. Changes in flood zones and BFEs can have a significant impact on building requirements and flood insurance costs.

SEA LEVEL RISE IS NOT CURRENTLY INCLUDED IN THE COASTAL FIRM ZONES.

DLNR's Flood Hazard Assessment Tool can be used to determine what flood hazard zone your property is in <u>http://gis.hawaiinfip.org/fhat/</u>. In the future, vulnerability to sea level rise will need to be incorporated in coastal hazard zones.









Figure 10. Coastal hazards incorporated into coastal Special Flood Hazard Zones on FEMA's Flood Insurance Rate Maps.

Coastal Erosion

Coastal erosion will exacerbate flooding and inundation resulting in the permanent loss of beaches and dry land which will then become submerged at increasing rates due to SLR. In their natural state, beaches, dunes and other coastal environments, such as reefs and wetlands, can provide effective protection from impacts of high waves and storms. Shoreline recession and beach loss due to coastal erosion is already a serious problem along Hawaii's shoreline, threatening shorefront development and infrastructure. Coastal erosion is the wearing away of beach and dune sediments and land by wave action and currents. Statewide, 70% of our beaches are undergoing chronic erosion, meaning the shoreline is retreating over years to decades [11]. On Maui, the erosion problem is particularly severe with 85% of beaches undergoing chronic erosion. Beaches are highly variable environments. The shape of a beach and location of the shoreline at any given moment results from a delicate balance between water level, wave energy and sand supply. In addition to chronic erosion, Hawai'i's beaches are prone to short-term erosion (hours to months) due to seasonal changes in wave direction, intermittent high wave events, and periodic or episodic high water levels.

Much of the developed low-lying coastal plains on Kauai, Oahu, and Maui are underlain by beach and dune sand deposits. A "healthy" beach can be sustained along a retreating coast, if the shoreline is allowed to erode into dunes and older beach deposits, releasing sand to nourish the beach. Chronic and short-term beach erosion becomes a problem when it threatens upland development. Unfortunately, we are left with a legacy of dense development fronting eroding shorelines. In many locations, the historical response to beach erosion has been to install seawalls and other coastal protection structures,





which has worsened problems of beach erosion and beach loss.

Sea level has been rising around Hawaii over the past century. There is evidence that sea level rise is already contributing to the overall trend of beach erosion in Hawai'i [19]. The extent and rates of coastal erosion are sure to increase over the coming decades with predicted increases in sea level rise rates. A recent study by University of Hawaii researchers found that approximately 92 and 96 percent of Hawai'i shorelines studied are projected to retreat by 2050 and 2100, respectively [20]. Due to increasing sea level rise, the average shoreline recession by 2050 is nearly twice the distance predicted by historical extrapolation alone, and by 2100 it is nearly 2.5 times the historical extrapolation. The DLNR is using these forecasts of future erosion hazard exposure to assess vulnerabilities to coastal communities, natural resources, and economic sectors.

The cumulative effects of SLR on coastal erosion, waves and storms surge are contributing to coastal flooding and will ultimately permanently inundate many coastal areas around the State. Vulnerability and risk assessment provide important information needed to design appropriate strategies and use the right tools to adapt to climate change.

Climate Change Mitigation and Adaptation

The impacts of climate change – such as coastal flooding and erosion and impacts to terrestrial and marine ecosystems – will affect the built and natural environment, livelihoods, and food security [21]. Understanding the extent of these changes and their impacts and identifying early adaptation actions is essential to protecting communities and natural resources.

Mitigating the effects of climate change will require immediate and unprecedented levels of intergovernmental cooperation amongst world governments to reduce greenhouse gas emissions. The State of Hawaii has a bold energy agenda – to achieve 100 percent clean energy by the year 2045. The Hawaii State Energy Office is leading the charge and has embarked on a strategic plan to position Hawaii as a proving ground for clean energy technologies and accelerate our transformation to a clean energy economy. Along with reducing our islands' dependency on fossil fuels and increasing efficiency **Mitigation** - An intervention to reduce the anthropogenic forcing of the climate system; it includes strategies to reduce greenhouse gas sources and emissions and enhancing greenhouse gas sinks [1].

Adaptation - Adjustment in natural or human systems in response to actual or expected climatic stimuli or their effects, which moderates harm or exploits beneficial opportunities. Various types of adaptation can be distinguished, including anticipatory, autonomous and planned adaptation [1].

- Anticipatory adaptation Adaptation that takes place before impacts of climate change are observed. Also referred to as proactive adaptation.
- Autonomous adaptation Adaptation that does not constitute a conscious response to climatic stimuli but is triggered by ecological changes in natural systems and by market or welfare changes in human systems. Also referred to as spontaneous adaptation.
- Planned adaptation Adaptation that is the result of a deliberate policy decision, based on an awareness that conditions have changed or are about to change and that action is required to return to, maintain, or achieve a desired state.

measures, the clean energy plan is also contributing to the State's economic growth. In the meantime, it is imperative that we take immediate and unprecedented steps to prepare for climate change, given



that changes are already being observed and significant impacts are expected, even under the most optimistic mitigation scenarios.

Despite global efforts to reduce greenhouse gas emissions, climate change impacts will require

adaptation to new conditions. Adaptation will require decision making, best practices and policy development based on an understanding of current and future vulnerabilities to adverse effects of climate change.

Vulnerability - Vulnerability is the degree to which a system is susceptible to, and unable to cope with, adverse effects of climate change, including climate variability and extremes. Vulnerability is a function of the character, magnitude, and rate of climate change and variation to which a system is exposed, its sensitivity, and its adaptive capacity [1].

Adaptation Strategies and Tools

Decision makers will need to develop adaptation strategies based on area, type of property, and other factors. Key adaptation strategies are protection, accommodation, planned retreat, and preservation [22] (Figure 7). Decision makers may choose protection as a strategy, armoring critical infrastructure as a response to SLR despite detrimental environmental impacts. In rural areas where development is sparse, a strategy of planned retreat may be feasible relocating structures upland. These adaptation strategies are not mutually exclusive and could be applied together or differently depending on localized vulnerability and the physical, environmental and socioeconomic setting. A variety of tools are needed to adapt to SLR [23] (Table 2). The effectiveness of each tool must be carefully evaluated comparing advantages and disadvantages in achieving the overall adaptation strategy.




Figure 11. Adaptation tools and decision-making considerations [22]



Planning Tools	Regulatory Tools	Spending Tools	Market-Based tools
 Hawai'i Coastal Zone Management Act General Plans Hazard Mitigation Plans 	 Shoreline Construction Setbacks Floodplain Regulations Hard Armoring Rebuilding Restrictions Subdivision Approvals Environmental Review Natural Resource Protection/Restoration 	 Capital Improvement Programs Land Acquisitions Conservation Easements Rolling Conservation Easements 	 Mandatory Real Estate Disclosures Tax Incentives Transfer of Development Rights Programs

Table 2. Examples of tools used to adapt to sea level rise [23]

Sea Level Rise Adaptation Stories

Throughout the State, communities, organizations, and agencies are examining the risks posed by climate change and identifying and implementing actions to address these risks. By sharing adaptation stories and information, we hope to catalyze action across the State.

[insert SLR Stories/links as they become available]

The Hawai'i Climate Adaptation Initiative

In 2014, the Hawai'i State legislature declared, through the passage of the Hawai'i Climate Adaptation Initiative Act (Act 83, Session Laws of Hawai'i) that climate change is the paramount challenge of this century, posing both an urgent and long-term threat to the State's economy, sustainability, security, and way of life. The purpose of the Hawai'i Climate Adaptation Initiative Act is to address the effects of climate change in order to protect the State's economy, health, environment, and way of life. Act 83 notes that, "Hawai'i is one of the few coastal states that has not adopted a statewide climate adaptation plan, yet is among the most vulnerable." Act 83 calls for the establishment of an Interagency Climate Adaptation Committee (ICAC), attached administratively to the Hawai'i Department of Land and Natural

Resources (DLNR) and co-chaired by the Board of Land and Natural Resources (BLNR) Chairperson and the Director of the Hawai'i Office of Planning (OP). The first task of the ICAC is to develop a statewide Sea Level Rise Vulnerability and Adaptation Report (SLR VA & Adaptation Report) by December 31, 2017.

The Interagency Climate Adaptation Committee

The overarching goal of the ICAC is to plan for and address the effects of climate change in order to protect the State's economy, health, environment, and way of life.

Interagency Climate Adaptation Committee Members

- Chairperson of the Board of Land and Natural Resources (co-chair)
- Director of the Office of Planning (co-chair)
- Chairs of the standing committees of the legislature with related subject matter jurisdiction
- Director of Business, Economic Development, and Tourism
- Chairperson of the Hawai'i Tourism Authority Board of Directors
- Chairperson of the Board of Agriculture
- Chief Executive Officer of the Office of Hawaiian Affairs
- Chairperson of the Hawaiian Homes Commission
- Director of Transportation
- Director of Health
- Adjutant General
- Chairperson of the Board of Education
- Directors of the County Planning Departments
- Manager of the Coastal Zone Management Program



Over the next three years (2015 – 2017), the ICAC has been directed to focus on climate impacts related to sea level rise. To achieve this goal, the ICAC will: (1) develop, update, and use knowledge of climate risk to recommend improvements to policies, programs, projects, and business practices that reduce risk, and (2) work effectively together, sharing information and data and developing innovative sector-specific and cross-cutting recommendations to adapt to a changing climate.

The first phase of work of the ICAC is to develop the SLR Report by December 2017. The DLNR Office of Conservation and Coastal Lands (OCCL) will lead the development of the SLR Report in coordination with the ICAC. The SLR Report will serve as a framework for the State and ICAC to address other climate-related threats and climate change adaptation priorities, ultimately leading to a Climate Adaptation Plan for the State of Hawai'i, which will be prepared by the OP.

The SLR Report will expand upon ongoing collaborations with the University of Hawai'i School of Ocean and Earth Science and Technology (UH SOEST), the University of Hawai'i Sea Grant College Program (UH Sea Grant), the Pacific Islands Ocean Observing System (PACIOOS), and the Pacific Islands Climate Change Cooperative (PICCC). Data and mapping products will provide a basis for further analysis of vulnerabilities, socioeconomic ramifications, and recommendations for planning, management and adaptation to reduce vulnerability and increase resilience to SLR hazards. DLNR has contracted Tetra Tech, Inc. to conduct the vulnerability assessment and socioeconomic impact analysis and assist the ICAC in preparing the SLR Report. Major milestones of this sea level rise phase are shown in Figure 1.



Define SLR scenarios and VA/SEI analysis methodology Increase public awareness of Act 83, latest climate science, and risks from SLR

Identify public issues and concerns



Conduct VA/SEI analysis

Update public on progress

Identify sector-specific and cross-

cutting recommendations to adapt

2017

Complete SLR VA/Adaptation Report

Figure 12. Major milestones of the sea level rise phase of ICAC work

Working Agenda of the ICAC

June 3, 2015 - ICAC Meeting

- Review mandate established by Act 83
- Review tasks and schedule to achieve mandate
- Review and provide comments on draft ICAC Handbook (goal, roles, responsibilities, and procedures of ICAC)

to SLR

• Review and provide comments on illustrative ICAC agenda

September 22, 2015 – ICAC Meeting

- Introduce SLR modeling approach and viewer
- Review Project Work Plan with VA/SEI analysis methodology



January 26, 2016 – ICAC Meeting

• Review draft Report annotated outline and VA/SEI analysis methodology and test runs

February 9, 2016 – Hawai'i Climate Adaptation Initiative Seminar – Sea Level Rise

- Share latest climate science, SLR projections, adaptation stories, and progress of the ICAC with the public
- Solicit public views and concerns

March 2016 – Pacific Risk Management Ohana Annual Conference

- Share latest climate science, SLR projections, adaptation stories, and progress of the ICAC with the public and Pacific Island communities
- Solicit public views and concerns

June 2016 – ICAC Meeting


• Adaptation updates from ICAC members

October 2016 – ICAC Meeting

• Review and comment on 50% draft SLR Report

June 2017 – ICAC Meeting

• Review and comment on 90% draft SLR Report






Links

Mauna Loa Observatory Carbon Dioxidde Trends https://scripps.ucsd.edu/programs/keelingcurve/

NOAA Sea Level Rise Trends http://tidesandcurrents.noaa.gov/sltrends/sltrends.html

For more information on Hawai'i's Climate Adaptation Initiative visit: [add url]





References

- 1. IPCC, IPCC Fourth Assessment Report: Climate Change 2007: Working Group II: Impacts, Adaptation and Vulnerability. 2007.
- 2. NASA. Warming seas and melting ice sheets. ScienceDaily. August 26, 2015 October 5, 2015]; Available from: <u>www.sciencedaily.com/releases/2015/08/150826111112.htm</u>.
- 3. Keener, V.W., Marra, J. J., Finucane, M. L., Spooner, D., & Smith, M. H. (Eds.). *Climate Change* and Pacific Islands: Indicators and Impacts. Report for The 2012 Pacific Islands Regional Climate Assessment. 2012: Washington, DC.
- 4. Scripps Institution of Oceanography. *The Keeling Curve*. 2015; Available from: https://scripps.ucsd.edu/programs/keelingcurve/.
- 5. IPCC, *Summary for Policymakers*, T.F. In: Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, Editor. 2013: Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- 6. Hay, C.C., et al., *Probabilistic reanalysis of twentieth-century sea-level rise.* Nature, 2015. **517**(7535): p. 481-484.
- 7. Hansen, J., et al., *Ice melt, sea level rise and superstorms: evidence from paleoclimate data, climate modeling, and modern observations that 2 deg. C global warming is highly dangerous.* Atmos. Chem. Phys. Discuss., 2015. **15**: p. 20059–20179.
- 8. Yi, S., et al., *An increase in the rate of global mean sea level rise since 2010.* Geophysical Research Letters, 2015. **42**(10): p. 3998-4006.
- 9. Nerem, R.S., et al., *Estimating Mean Sea Level Change from the TOPEX and Jason Altimeter Missions*. Marine Geodesy, 2010. **33**(sup1): p. 435-446.
- 10. Church, J.A. and N.J. White, *Sea-Level Rise from the Late 19th to the Early 21st Century.* Surveys in Geophysics, 2011. **32**(4-5): p. 585-602.
- 11. National Oceanic and Atmospheric Administration. November 2015]; Available from: http://tidesandcurrents.noaa.gov/sltrends/sltrends.html.
- 12. Kopp, R.E., et al., *Probabilistic 21st and 22nd century sea-level projections at a global network of tide-gauge sites.* Earth's Future, 2014. **2**(8): p. 383-406.
- Wong, P.P., I.J. Losada, J.-P. Gattuso, J. Hinkel, A. Khattabi, K.L. McInnes, Y. Saito, and A. Sallenger, *Coastal systems and low-lying areas. In: Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.* 2014: Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA. p. 361-409.
- 14. Flick, R.E., et al., *"Flooding" versus "inundation"*. Eos, Transactions American Geophysical Union, 2012. **93**(38): p. 365-366.
- 15. Rozoll, K. and C. Fletcher, *Assessment of groundwater inundation by sea level rise.* Nature Clim. Change, 2012. **3**: p. 477-481.
- 16. Fletcher, C.H., Romine, B.M., Genz, A.S., Barbee, M.M., Dyer, Matthew, Anderson, T.R., Lim, S.C., Vitousek, Sean, and C. Bochicchio, and Richmond, B.M., *National assessment of shoreline change: Historical shoreline change in the Hawaiian Islands: U.S. Geological Survey Open-File Report 2011–1051*. 2012. p. 55.
- 17. Murakami, H., et al., *Projected increase in tropical cyclones near Hawaii*. Nature Clim. Change, 2013. **3**(8): p. 749-754.
- 18. Kossin, J.P., K.A. Emanuel, and G.A. Vecchi, *The poleward migration of the location of tropical cyclone maximum intensity*. Nature, 2014. **509**(7500): p. 349-352.



- 19. Romine, B.M.F., C.H.; Barbee, M.M.; Anderson, T.R.; and Frazer, L.N., *Are beach erosion rates and sea-level rise related in Hawai'i?* . Global and Planetary Change, 2013: p. 108.
- 20. Anderson, T.R., et al., *Doubling of coastal erosion under rising sea level by mid-century in Hawaii.* Natural Hazards, 2015. **78**(1): p. 75-103.
- U.S. Coral Triangle Initiative Support Program, Climate Change Adaptation for Coral Triangle Communities: Guide for Vulnerability Assessment and Local Early Action Planning (LEAP Guide).
 2013: United States Agency for International Development.
- 22. Grannis, J., Adaptation Toolkit: Sea Level Rise and Coastal Land Use: How Governments Can Use Land-Use Practices to Adapt to Sea-Level Rise, in Georgtown Climate Center. 2011. p. 100.
- 23. Codiga, D. and K. Wager, *Sea-Level Rise and Coastal Land Use in Hawai'i: A Policy Tool Kit for State and Local Governments.* 2011. p. 84.